

## CLEARLY SUPERIOR









## UNDERSTANDING WINDOW PERFORMANCE

To know if you are getting stable, energy efficient, high performance windows, you can rely on word of mouth or worse believe every claim a manufacturer makes; but the wise consumer utilizes third party verification. The American Architectural Manufacturers Association (AAMA) and the National Fenestration Ratings Council (NFRC) are the predominant organizations that provide testing standards for the window industry. Look for certified AAMA and NFRC testing results to really understand if your window is energy efficient and structurally sound.



### **BOLD COLORS**

Choose black, bronze, white or adobe or ask about our custom color options.
Our color choices will enhance or complement any project.

\*Please review actual color samples prior to selection.



## **CLEAN LINES**

No ugly accessory lines keep your view clean and clear.



## **DURABLE**

Optional foam filled frames help prevent heat distortion. Steel reinforced interlocks provide large windows with more strength than any vinyl, wood or composite framing alone can provide. Welded corners help reduce moisture intrusion.

All Coeur d'Alene Windows are made from extruded PVC with additives to enhance weatherability. In building products, longevity is often directly related to how well a product resists moisture intrusion; PVC has vastly superior moisture resistance to either wood or wood-flour based composites.



The 1000 Series Window features a 2 ¾" wide frame well suited for new construction and many aluminum window replacement applications. The 1000 Series is available in single-hung, picture and sliding configurations to complement most design choices.



#### 1121\* SLIDING WINDOW

U-Value	.24	.28	.29	.30
SHGC	.30	.23	.22	.30

\*This is only a sample of test result, please consult the NFRC Certified Products directory or a customer service rep for complete testing information



#### 1000 SERIES AAMA PERFORMANCE TESTING

Model	Description	Grade / Test Size
1010	Picture Window	LC PG-55 (55X55)
1121	Single-slide Window	<b>LC PG-35</b> (71X55)
1221	Single Hung Window	LC PG-40 (44X75)
















**SINGLE-HUNG, SLIDER AND PICTURE** At 3 3/8" wide, the 3000 Series is our most popular solution for today's demanding environments. The 3000 Series features a heavy

extruded frame and fixed interlock for added stability. Making a stronger, more durable window may go against the trend, but we tend to be a little different at Coeur d'Alene.



### 3121\* SLIDING WINDOW

2.2mm/3mm Glass 4mm/3mm Glass 2.2mm/2.2mm Glass 2.2mm/2.2mm Glass

U-Value	.24	.28	.29	.30
SHGC	.30	.23	.22	.30

<sup>\*</sup>This is only a sample of test result, please consult the NFRC Certified Products directory or a customer service rep for complete testing information



#### 3000 SERIES AAMA PERFORMANCE TESTING

Model	Description	Grade / Test Size
3310	Picture Window	<b>LC PG-55</b> (55X55)
3121	Single-slide Window	<b>LC PG-35</b> (71X55)
3221	Single Hung Window	LC PG-40 (44X75)















Coeur d'Alene 3000 Series Casement and Awning Windows are designed to be thermally efficient, easy to operate, look good and thrive in severe environments. Rigid PVC and thoughtfully engineered hardware provide the strength necessary for worry-free operation. Standard multi-point locks provide added security.



#### **3411\* CASEMENT WINDOW**

 Lodz-270®
 Indium

 Lodz-180®
 Lodz-366®
 Lodz-270®

 Argon Gas
 Argon Gas
 Argon Gas

 2mm/2mm2/2mm Glass
 3mm/3mm
 2mm/2mm

U-Value	.18	.24	.28
SHGC	.23	.19	.26

\*This is only a sample of test result, please consult the NFRC Certified Products directory or a customer service rep for complete testing information



## 3000 SERIES CASEMENT AAMA PERFORMANCE TESTING

Model	Description	Grade / Test Size
3411	Single Casement	<b>PG-55</b> (32x59)
3511	Single Awning	<b>PG-55</b> (47.25x31.5)

<sup>\*</sup> Ask about our PG 85 option for rugged environments and commercial applications















Coeur d'Alene Double-slide and Double-hung Windows are designed specifically for today's demanding environment. The double-hung features side-load removable sashes, allowing for a stronger more resilient frame than East Coast tilt-in designs. Double-hung and double-slide windows from The Coeur d'Alene Window Company provide for a traditional equal sight line view.



#### 4622\* DOUBLE-HUNG WINDOW

Indium		
LoĒ <sup>3</sup> -366®	LoĒ <sup>3</sup> -366®	LoĒ <sup>3</sup> -270®
Argon Gas	Argon Gas	Argon Gas
& Foam		

	& Toalii		
U-Value	.24	.30	.30
SHGC	.20	.24	.27

<sup>\*</sup> This represents the most popular options with standard glass thickness, please check NFRC.org for a complete list of results with options.

Stylish
Beveled
Exterior True
Equal-Sight
Glass













# PATIO DOOR 5800 SERIES WIDE RAIL PATIO DOOR

The Wide Rail Patio Door from Coeur d' Alene features the clean bold lines of a French door without the hassle of operation or the space constraints associated with swinging door products. The door also features foam filled framing and a heavy-duty extruded sliding screen door.









## **5821 WIDE RAIL DOOR\***

	Lodz-366® Argon Gas	Lodz-366® Argon Gas
U-Value	.23	.26
SHGC	.18	.19

## 3821 MODERN RAIL DOOR

	Indium Lodz-366® Argon Gas	Lodz-366® Argon Gas
U-Value	.23	.27
SHGC	.22	.23

<sup>\*</sup> A foam filled mainframe and sash are standard on the Wide Rail Door





## 3800 SERIES MODERN RAIL DOOR

The Modern Rail Patio Door features maximum viewing area for today's contemporary homes. The sleek looks of the Modern Rail Door minimize the frame allowing you to take in the view. The Modern Door comes standard with a sleek roll formed screen. Additional options are available.




















## **GRID OPTIONS**

Coeur d'Alene's simulated divided lite (SDL) or internal grids add beauty and style from the outside in! Turn your home into something extraordinary with our distinctive window and door grids. From colonial to modern, we can match your architectural style. Coeur d'Alene Windows are available with a variety of grid options.

Ask your sales representative for a complete list of offerings.



Not all colors are available in all styles.

### SLIDER OR DOUBLE SLIDER WINDOWS
















Perimeter II

#### SLIDER OR DOUBLE HUNG WINDOWS





Top Only Colonial







Perimeter

Spokes




Perimeter II



### SPECIALTY WINDOWS





Colonial



Colonial with Spokes



Colonial with Hub



Queen Anne



Queen Anne II



Fluted

Hub



Hub with Spokes

Valance

## **OBSCURE GLASS**





Mistlite





#42 Clear





Cross Reed 5/8"

Delta Frost

Narrow Reed

Seedy / Reamy


LOĒ3-366®

For years, Cardinal LoE3-366® has been setting the standard for energy-efficient glass. Cardinal's® patented, state-of-the-art sputter coating processes are unmatched by any other glass manufacturer.

Rain

Now they have raised the bar. LoE3-366® adds a third layer of silver coating. Result: a clear coating that blocks even more solar gain, reflects heat and lets the light stream in. All with a minimum of exterior reflectance, and no heavy bronze or smoke colored tints to darken your home. LoE3-366® actually outperforms the tinted glass often used in warm climates.





ALSO AVAILABLE WITH













## **NEAT® GLASS**

Coeur d'Alene Windows is pleased to offer NEAT® glass as an option. Neat®'s hydrophilic sheeting process keeps your windows cleaner longer.

Upgrade your Coeur d'Alene Windows and make them even more energy efficient by adding Indium coated glass from Cardinal® IG.

Many windows show up to the home covered with finger prints, dirt, and scratches. When you buy new windows, you expect them to be in

Preserve® Protective Film is placed on the interior and exterior of the Insulating Glass unit immediately after the glass unit is made to make sure that your new windows are delivered to you

ORDINARY

and sheets off quickly


### HYDROPHOBIC:

Water beads up and resists flow



## **ENDUR IG®**

- **Primary Seal:** Polyisobutylene (PIB) minimizes moisture permeation, is UV resistant and provides an outstanding argon barrier.
- 2 Secondary Seal: Specially formulated silicone for IG units provides long-term adhesion, is unaffected by UV exposure and provides excellent durability when exposed to moisture. Silicone also provides structural integrity.
- **3** Spacer: Stainless steel spacer features a roll form design to provide maximum area for primary and secondary sealant coverage. It provides increased resistance to condensation and less stress on IG seal system. No polymer content eliminates the risk of chemical fogging.
- **Desiccants:** Beaded molecular sieve provides initial frost points below -65°F. Desiccant assures optimum moisture adsorption while minimizing the effects of temperature-related pressure changes.





## **COLORS**

Coeur d'Alene Windows are available in a number of exterior colors including white, adobe, bronze and black. We also offer interior finishes and a large selection of custom colors. Please refer to our finishes brochure. Coeur d'Alene maintains it's own in house finishing production facility. We hold certifications from both AAMA and our suppliers.

\*Please review actual color samples prior to selection.



Multi-Point Lock

## HARDWARE

Our casement and awning windows include nesting hardware that folds into the housing, keeping the hardware out of the way. This hardware is available in white, adobe, oil-rubbed bronze or nickel.



Coeur d'Alene sliding and hung windows include standard camlocks in white or adobe. Ready for a contemporary alternative? Try our sleek auto-lock available in white, adobe, oil-rubbed bronze or nickel.







White Auto-lock

Adobe Auto-lock

Nickel Auto-lock





Oil-Rubbed Bronze Auto-lock

Camlock





# A SAMPLING OF STYLES AND CONFIGURATIONS.

Please see a Coeur d'Alene representative for a complete selection.







CoeurdAleneWindow.com

The information contained in this brochure is subject to change and/or revision. As a result, information may no longer be accurate. Please consult a Coeur d'Alene representative or www.coeurdalenewindow.com for the most current information available.