

INTERIOR DOORS

MOLDED & FLUSH DESIGNS AND FEATURES



FLUSH INTERIOR DOOR DESIGNS AND FEATURES

HARDBOARD DOORS



PRIMED Primed options arrive ready to paint.

(Varies by region; please see your local dealer)



FLUSH 6'8", 7'0" & 8'0"

Primed

Actual colors may vary from samples shown to due printing process and/or differing monitor calibrations.

WOOD VENEER DOORS



SLICED RED

6'8", 7'0"

OAK

& 8'0"

ROTARY-CUT BIRCH 6'8", 7'0" & 8'0"



FLUSH 6'8", 7'0" & 8'0"

HARDWOOD 6'8", 7'0" & 8'0"

CONSTRUCTION CHOICES



ProCore[™] Solid Core Wood or MDF frame 1-3/8" Door 1-3/4" Door 20-minute fire rating available in 1-3/4" up to 4'0" x 8'0"



Solid Mineral Core Mineral composite frame 1-3/4" Door 45-, 60- and 90-minute fire ratings available



Hollow Core Combination wood/MDF frame 1-3/8" Door Corrugated honeycomb cell core

EMBOSSED WOODGRAIN

Embossed doors offer the look of real stained wood.

(Varies by region; please see your local dealer)



Oak

Walnut

DROCORE THE QUIET DOOR


STYLE AND SUBSTANCE



JELD-WEN[®] molded interior doors blend style and substance. Select the architectural style that best fits your home and complement it with a woodgrain texture or smooth finish. For bedrooms, offices, and laundry rooms, consider adding an optional solid core to reduce sound transmission between rooms. Molded doors come in widths of 1'0" to 3'0" and most are available in heights of 6'8", 7'0", and 8'0". Matching bifold doors are also available in most styles.

MOLDED INTERIOR DOOR DESIGNS

FLAT PANEL




CRAFTSMAN III™ SMOOTH Craftsman Sticking 6'8" & 7'0"*

MADISON® MONROE® SMOOTH SMOOTH Craftsman Craftsman Sticking 6'8"*, 7'0"* & 8'0"* 6'8", 7'0"*

Sticking

& 8'0"*




BIRKDALE™ SMOOTH Craftsman Sticking 6'8"*, 7'0"* & 8'0"*




CONMORE® SMOOTH Stepped Sticking 6'8" & 7'0"* & 8'0"*

STUDIO™




SL100 6'8" & 7'0"* SL130 6'8"

RAISED PANEL



PRINCETON™ SMOOTH Cove & Bead Sticking 6'8", 7'0"* & 8'0"



SANTA FE[™] SMOOTH **Ovolo Sticking** 6'8", 7'0"* & 8'0"



CARRARA® SMOOTH Cove & Bead Sticking 6'8", 7'0"* & 8'0"



& 8'0"



CONTINENTAL[™] SMOOTH **Ovolo Sticking** 6'8"*, 7'0"* & 8'0"*

COLONIST® SMOOTH Cove & Bead Sticking 6'8", 7'0"* & 8'0"



COVENTRY® SMOOTH Cove & Bead Sticking 6'8", 7'0"* & 8'0"

RAISED PANEL




ROCKPORT[™] SMOOTH Cove & Bead Sticking 6'8", 7'0"* & 8'0"*



CAMDEN® WOODGRAIN Cove & Bead 6'8" & 7'0"*

Sticking




CAMBRIDGE™

Ovolo Sticking

SMOOTH


6'8", 7'0"* & 8'0"

COLONIST® WOODGRAIN Cove & Bead Sticking 6'8", 7̈́0"* & 8'0"




IMPRESSION[™] Reverse side: Six-panel textured only.

1



COLONIST® SMOOTH WIDE STILE Cove & Bead Sticking 6'8"* & 7'0" & 8'0"



SMOOTH

WIDE STILE

6'8"* & 7'0"

& 8'0"

Ovolo Sticking

CONTINENTAL[™] SMOOTH WIDE STILE Ovolo Sticking 6'8"* & 7'0" & 8'0"



JELD-WEN® molded interior door skins are SCS Global Services Recycled Content certified.


*Select styles are ADA compliant **Accommodates commercial-grade hardware




MOLDED INTERIOR DOOR FEATURES

STICKING PROFILES


Whether you prefer traditional or contemporary, JELD-WEN has sticking profile options that will distinguish the interior of your home with beautiful quality and attention-to-detail design.








STEPPED STICKING



OVOLO STICKING



COVE & BEAD STICKING

SURFACE TEXTURES



SMOOTH

Smooth surface doors give your home a clean, streamlined feeling. They feature the classic look of painted wood doors.



WOODGRAIN

JELD-WEN[®] interior doors with textured surfaces emulate the woodgrain look of solid wood doors.

CORE OPTIONS



PROCORE[™] SOLID CORE Combination wood/ MDF or all-wood frame 20-minute fire rating

PROCORE



SOLID MINERAL CORE

All-wood frame 60-minute* fire rating *Available in raised panel designs only



HOLLOW CORE

Wood/MDF frame Blocking behind panels for support

			E
			-
			ALC: NO
			12
			674
			14
			1000
			A COMPANY OF
			and a second
			128
			15
			13
			12
			172
			1.1
			26
INTERES IN COMPANY			
		and the second s	(K)
			1000 000
			100
			02
			100
	Contractory of Contra		61
			S15100
			10
			13
			10
			10
			1
CONTRACTOR OF CONTRACTOR	Alternational and the second		57
120221000	CALCULATION OF A DESCRIPTION OF A DESCRI		15
			10
			1000
			1
			1
			and a second



PROCORE THE QUIET DOOR®

This upgrade reduces sound transmission between spaces by up to 50% compared to hollow-core doors. Enjoy more peace and quiet, plus increased resistance against everyday dents and dings. Great for bedrooms, bathrooms, and laundry rooms.





For warranty details, visit jeld-wen.com, click Support, and select JELD-WEN Warranties.

© 2020 JELD-WEN, Inc. All rights reserved. | JELD-WEN, the JELD-WEN Logo, the JW Logo, CAIMAN, CAMDEN, CARRARA, COLONIST, CONMORE, COVENTRY, MADISON, MONROE, and PROCORE THE QUIET DOOR are registered trademarks of JELD-WEN, Inc. BIRKDALE, CAMBRIDGE, CONTINTENTAL, CRAFTSMAN III, IMPRESSION, PRINCETON, PROCORE, ROCKPORT, SANTA FE, and STUDIO are trademarks of JELD-WEN, Inc. The SCS GLOBAL SERVICES Recycled Content Certified logo is a trademark of SCS Global Services.

10-92820ORE 03/20